

Fiber Optic Patch Panel Datasheet

» Description

Fiber Optic Termination Box/Patch Panel (OTB) is mainly used as terminal equipment of fiber optical cable for optical fiber wiring ,fixation, fusion and patching.

The Rack-mount fiber optic distribution frame is a modulated design with drawable trays inside and cold-rolled steel box. It could be pre-installed with various kinds of fiber optic adapters and pigtails.

It is with standard 19-inch size and properly designed to control the bend radius of the cable inside the enclosure to avoid extra optical loss. Its front mark on the plates is easy for identification and operation.

» Features

- Easy to operate and convenient maintenance
- Excellent mechanic performance, solid and durable
- It is mainly used in the CATV, telecommunication
- equipment room and network equipment room.

» Application

- Telecommunication networks
- CATV networks
- Fiber to home
- Co-location / customer premise
- LAN/WAN

» Specifications

Product Name	Fiber Optic Patch Panel
Capacity	12-24-36-48-72-96-144-288 fibers
Height	1U to 5U
Adapter	FC, SC, ST, LC
Installation	Rack-mount
Splice Tray Capacity	12 Fibers/Tray; 24 Fibers/Tray
Color	Black, White and Grey, or Customized
Weight (kg)	According To Cores




Fiber Optic Patch Panel Datasheet



Model	SJ-OTB-M10
Capacity	12/24 Cores
Adapter	SC/FC Simplex
Size	19"X1UX300mm



Model	SJ-OTB-M11
Capacity	12/24 Cores
Adapter	SC/FC Simplex
Size	19"X1UX311mm



Model	SJ-OTB-M12-A
Capacity	12/24 Cores
Adapter	SC/UPC Simplex
Size	19"X1UX250mm



Model	SJ-OTB-M12-B
Capacity	12/24 Cores
Adapter	LC/UPC Simplex
Size	19"X1UX250mm



Model	SJ-OTB-M18
Capacity	48 Cores
Adapter	LC/APC, LC/UPC Duplex
Size	19"X2UX250mm



Model	SJ-OTB-M19
Capacity	48 Cores
Adapter	SC/UPC Simplex
Size	19"X2UX250mm

Fiber Optic Patch Panel Datasheet



Model	SJ-OTB-M16
Capacity	72 Cores
Adapter	LC/APC Duplex
Size	19"X3UX300mm



Model	SJ-OTB-M17
Capacity	72 Cores
Adapter	SC/APC, SC/UPC Simplex
Size	19"X3UX300mm



Model	SJ-OTB-M13
Capacity	96 Cores
Adapter	LC/UPC Simplex
Size	19"X3UX300mm



Model	SJ-OTB-M14
Capacity	96 Cores
Adapter	LC/APC Duplex
Size	19"X3UX300mm



Model	SJ-OTB-M15
Capacity	96 Cores
Adapter	SC/APC, SC/UPC Simplex
Size	19"X3UX300mm



Model	SJ-OTB-M20
Capacity	144 Cores
Adapter	LC/APC, LC/UPC Simplex
Size	19"X3UX400mm

Fiber Optic Patch Panel Datasheet



Model	SJ-OTB-M21
Capacity	144 Cores
Adapter	SC/APC, SC/UPC Duplex
Size	19"X3UX400mm



Model	SJ-OTB-M22
Capacity	288 Cores
Adapter	LC/APC, LC/UPC Duplex
Size	19"X5UX400mm



Model	SJ-OTB-M23
Capacity	288 Cores
Adapter	SC/APC, SC/UPC Duplex
Size	19"X5UX400mm



Model	BWN-ODF-144-A
Capacity	144 Cores
Adapter	SC/UPC Duplex
Size	19"X4UX400mm



Model	BWN-ODF-144-B
Capacity	144 Cores
Splice Tray	12 pcs
Size	19"X4UX400mm



Model	BWN-ODF-144-C
Capacity	144 Cores
Adapter	SC/UPC Duplex
Size	19"X4UX340mm